

NEW 3000 CFM EXHAUST FAN THRU WALL 10'-0" AWAY FROM INTAKE AIR

NEW 3000 CFM MAKE UP AIR ON 4" CONC PAD SUPPLY THRU WALL ALL DUCTS INTO BUILDING TO BE INSULATED

ZIAD EL-BABA ENGINEERING

674 GAUTHIER
 TECUMSEH ONTARIO
 N8N3P8 CANADA
 CELL - 313-938-8767
 MOBILE - 519-796-9882
 FAX - 519-979-3535

DATE	REV. NO.	ISSUED FOR
DEC.19.17		REVIEW

Project:
 INTERIOR RENOVATIONS
 5275 KENILWORTH
 DEARBORN MI


OWNER
 5275 KENILWORTH
 DEARBORN MI

Drawing Title:
 FLOOR PLA- TECH CENTER

Project Number	
Scale	AS NOTED
Date	
Drawn By	
Checked By	

Drawing No.

A-2B



PROPOSED FLOOR PLAN

SCALE 1/8" = 1'-0"
 NEW PARTITIONS IN EXISTING SHELL
 NEW 6" METAL STUDS @ 16" O.C.
 20 GA. 1/2" DRYWALL BOTH SIDES
 11'-6" AFF.

OPTION NO. B

PROPOSED NEW DOOR

NEW TECH AREA